## **Embodied Carbon Calculator: Basic Report**



Date of assessment



Notes/source

Form "dd/mm/vv"

If Section A of the 'Input' tab is correctly completed, the results will be shown here.

Please complete all purple and yellow cells.

Name of assessor and assessor organisation

If you would like to assist CIBSE in building knowledge on the embodied carbon of products used in building services, please complete as directed, name this file as instructed in the 'Introduction and Instructions' tab, and email this file to embodiedcarbon@cibse.org.

## Basic report for 100-317 as manufactured by Excel

30/11/23

Solf Assessment

Name of assessor and assessor organisation	Sett Assessment					
Contact email address of assessor	sales@mayflex.com					
Product information						
Type of product	Cables					
Capacity of equipment/size (kW; m3; litre; etc.)	1 m					
Product weight (kg)	0.03 kg					
Material % breakdown for at least 95% of the product weight? (Y/N)	Υ					
Product service life (years)	25 Years					
If refrigerant based, type of refrigerant used and GWP	No refrigerant, 0 kgCO2e					
Refrigerant charge (kg)	0.00 kg					
Product complexity category	Category 1	See CIBSE TM65 Table 4.3				
Embodied carbon results (kg $\mathrm{CO}_2\mathrm{e})$ — without refrigerant leakage						
A1: Material extraction (original product)	0.117 kgCO2e					
A1: Material extraction (components that are replaced in B3)	0.012 kgCO2e					
A1-A4, B3, C2-C4: Total embodied carbon with scale-up and buffer factor (excluding refrigerant leakage)	0.218 kgCO2e					

	Embodied o	Embodied carbon result (kg CO <sub>2</sub> e) - refrigerant leakage only	
31 (refrigerant leakage during use) +		0.0001.000	

Basic calculation

Bs (refrigerant leakage during use) + 0.000 kgCO2e TM65 leakage Type 0
C1 (refrigerant leakage at end of life)

## 

A1: Material carbon coefficient source CIBSE TM65, Table 2.1 E.q: Source = CIBSE TM65, Table 2.1

B1: Refrigerant annual leakage rate (%) CIBSE TM65, Table 4.4 Type 0 E.g: Source = CIBSE TM65, Table 4.4 Type 0

B1: Refrigerant annual leakage rate (%)	CIBSE TM65, Table 4.4 Type 0	E.g: Source = CIBSE TM65, Table 4.4 type 2
C1: Refrigerant end of life recovery rate (%)	CIBSE TM65, Table 4.4 Type 0	E.g: Source = CIBSE TM65, Table 4.4 type 2
B3: Materials replaced as part of repair (%)	CIBSE TM65, Table 2.1	E.g: Source = CIBSE TM65, Table 2.1

## Details

Please provide any relevant details

Information disclosure	Select Yes if you agree	Notes
I consent to CIBSE's use of the data contained in this form for		
research purposes, on the condition that all identifying	Yes	
information is removed from any published output.		
I consent to CIBSE's use of the data contained in this form in		
order to establish an embodied carbon database for products	Yes	
used in building consider		