Embodied Carbon Calculator: Basic Report



Date of assessment



Notes/source

Form "dd/mm/vv"

ge Type 0

If Section A of the 'Input' tab is correctly completed, the results will be shown here.

Please complete all purple and vellow cells.

Name of assessor and assessor organisation

Contact email address of assessor

If you would like to assist CIBSE in building knowledge on the embodied carbon of products used in building services, please complete as directed, name this file as instructed in the 'Introduction and Instructions' tab, and email this file to embodiedcarbon@cibse.org.

Basic report for 100-330 as manufactured by Excel

30/11/23

Self Assessment

sales@mayflex.com

| Product information | | | | | | |
|--|--------------------------|--------------------------|--|--|--|--|
| Type of product | Cables | | | | | |
| Capacity of equipment/size (kW; m3; litre; etc.) | 1 m | | | | | |
| Product weight (kg) | 0.03 kg | | | | | |
| Material % breakdown for at least 95% of the product weight? (Y/N) | Υ | | | | | |
| Product service life (years) | 25 Years | | | | | |
| If refrigerant based, type of refrigerant used and GWP | No refrigerant, 0 kgCO2e | | | | | |
| Refrigerant charge (kg) | 0.00 kg | | | | | |
| Product complexity category | Category 1 | See CIBSE TM65 Table 4.3 | | | | |
| | | | | | | |
| Embodied carbon results (kg CO₂e) — without refrigerant leakage | | | | | | |
| A1: Material extraction (original product) | 0.117 kgCO2e | | | | | |
| A1: Material extraction (components that are replaced in B3) | 0.012 kgCO2e | | | | | |
| A1-A4, B3, C2-C4: Total embodied carbon with scale-up and buffer factor (excluding refrigerant leakage) | 0.218 kgCO2e | | | | | |

| Embodied carbon result (kg CO_2e) — refrigerant leakage | | | |
|--|--|--------------|-------------|
| B1 (refrigerant leakage during use) + | | 0.000 kgCO2e | TM65 leakas |
| C1 (refrigerant leakage at end of life) | | 0.000 kgcOZe | тмьэ теакад |

Embodied carbon result with 'basic' calculation method (kg CO2e) — total

Basic calculation

Result of 'basic' calculation method 0.218 kgCO2e

| | Assumptions | | | |
|--|---|------------------------------|--|--|
| | A1: Material carbon coefficient source | CIBSE TM65, Table 2.1 | E.g: Source = CIBSE TM65, Table 2.1 | |
| | B1: Refrigerant annual leakage rate (%) | CIBSE TM65, Table 4.4 Type 0 | E.g: Source = CIBSE TM65, Table 4.4 type 2 | |
| | C1: Refrigerant end of life recovery rate (%) | CIBSE TM65, Table 4.4 Type 0 | E.g: Source = CIBSE TM65, Table 4.4 type 2 | |
| | B3: Materials replaced as part of repair (%) | CIBSE TM65, Table 2.1 | E.g: Source = CIBSE TM65, Table 2.1 | |

Details

Please provide any relevant details

| Information disclosure | Select Yes if you agree | Notes |
|---|-------------------------|-------|
| I consent to CIBSE's use of the data contained in this form for | | |
| research purposes, on the condition that all identifying | Yes | |
| information is removed from any published output. | | |
| I consent to CIBSE's use of the data contained in this form in | | |
| order to establish an embodied carbon database for products | Yes | |
| used in building services. | | |