



Encasa

Compact Customer Splice Point



COMPACT CUSTOMER SPLICE POINT

BENEFITS



- Compact and rugged design
- Easy to install and maintain
- Provides a safe and secure environment for fiber optic cables and splices
- Ensures reliable and efficient communication
- Reduces installation time and cost



SPECIFICATION

Enclosure type	Outdoor
Material	ABS Grey
IP rating	IP55
Cable entry points	2 Input / 2 Output
Bend radius protection	30mm
Connector type	Splice only
Splicing count	4 x 40*2.2mm
Input cable diameter max	3-8mm round cable or flat cable up to 8.5mm
Output cable diameter max	3-8mm round cable or flat cable up to 8.5mm

PRODUCT FEATURES




- 1. External Mounting Hole
- 2. Cable Entry Point

- 3. Cable Fixing Point
- 4. 4F Splice Area

- 5. Rear Distribution Point

DIMENSIONS




Front View

21 mm



Side View



Bottom up View

PART NUMBER INFORMATION

Part Number	Product Description
911-000	Compact CSP 2F/4F



Excel House, Junction Six Industrial Park
Electric Avenue, Birmingham, B6 7JJ

Phone: 0800 75 75 65
Email: FTTx@mayflex.com

www.excel-networking.com