

# AVIGILON™ AVA 360 CAMERA

## Avigilon Alta Cloud Security



The AI-powered Avigilon Ava 360 Camera for Alta Aware provides 360° visibility, making it ideal for locations that require coverage in all directions. With a 12MP image sensor, IR illumination and HDR, the 360 Camera provides crisp, clear visibility even in challenging lighting conditions. On-camera storage and processing and cloud management minimize physical infrastructure, enabling plug and play configuration for fast deployments. Intelligent video and audio analytics help detect threats in real-time, and provide valuable insights to improve operations.



360° fisheye panoramic  
with IR




Built-in AI video and audio analytics  
and on-device storage



Versatile, robust and sleek, fit for both the harshest  
outdoor and discreet indoor setups



Factory-installed certificates backed by  
a trusted platform module (TPM)



12MP  
image sensor



NDA-Compliant: designed and developed in Norway  
and the UK, manufactured in Taiwan



## FEATURES

### IMAGE SENSOR

12MP

### IMAGE SENSOR SIZE FORMAT

1/2.3"

### LENS

Aperture: *f*/2.0

Fixed focus

Focus distance: 0.5m - ∞

### IR NIGHT VISION

Automatic night mode

IR-cut filter

IR range: 20m

850 nm IR LED

### MINIMUM ILLUMINATION IN COLOR MODE

0.4lux

### FIELD OF VIEW

>180°

### MAXIMUM RESOLUTION & FRAME RATE

3000x3000@30fps

### DYNAMIC RANGE

Multi-exposure line-based HDR

### VIDEO COMPRESSION

H.264

Motion JPEG

### AUDIO

Microphone array (4x microphones)

AI audio event classification

Audio source localization

### SECURITY

Factory-installed certificates

No default passwords

Mandatory access authentication

HTTPS/TLS encryption

### NETWORK PROTOCOLS

IPv4, HTTPS, TLS, DNS, mDNS, DNS-SD, NTP, RTSP, RTP, RTCP, ICMP, DHCP, ARP

Streaming: RTP/UDP, RTP/RTSP/HTTPS/TCP

### POWER SOURCE

PoE+ (802.3at Type 2)

For installation only: USB-C (1.5A mode)

### POWER CONSUMPTION

Typical: 5W

Max without heater: 13W

Max with heater: 23W

### STORAGE

MicroSD

SDXC UHS-I

### CONNECTION

802.3ab 10/100/1000 Gigabit Ethernet

USB-C for preview and setup

### INSTALLATION AID

Automatic wall and ceiling detection

Flexible bracket, mounts to standard back boxes.  
Refer to technical drawing.

### IMPACT RESISTANCE

IK10 (IEC/EN 62262)

### INGRESS PROTECTION

IP66 (IEC/EN 60529)

### TEMPERATURE

Operating: -40°C to +50°C

Storage: -40°C to +60°C

### PHYSICAL CHARACTERISTICS

Dimensions: 152x152x77mm

Weight: 1.1 kg

Body: Aluminum

### EMC

EN 55032

EN 61000-3-2/-3

EN 55024

EN 55035

EN61000-6-2/-4

FCC Part 15B

ICES-003 Issue 6

### SAFETY

IEC60950-1

IEC62368-1

IEC60950-22

UL/CSA60950-1

UL/CSA 62368-1

UL E164374


NOM-019

IEC62471(IR LED)

# TECHNICAL DRAWINGS

## Camera


### Side view



Scale 1:2

## Mounting Bracket

### Top view



Scale 1:2

DESIGNATION	DIMENSION (MM)	DIMENSION (INCH)
A	Octagon 62.9 x 62.9 (88.9 diagonal)	2.47 x 2.47 (3.50 diagonal)
B	4" Square Box 85.5 x 85.5 (120.9 diagonal)	3.36 x 3.36 (4.76 diagonal)
C	Single Gang 84.1	3.31
D	Double Gang 84.1 x 46	3.31 x 1.81
E	EU Ceiling Box 70	2.76
F	EU Outlet Box 60	2.36

# ORDERING INFORMATION

## AVIGILON AVA 360

PRODUCT ID	RESOLUTION	DEPLOYMENT	COLOR
360-W-30	30 days	Alta Aware Cloud	White
360-B-30	30 days	Alta Aware Cloud	Black
360-W-60	60 days	Alta Aware Cloud	White
360-B-60	60 days	Alta Aware Cloud	Black
360-W	No	Alta Aware on-prem	White
360-B	No	Alta Aware on-prem	Black

## ACCESSORIES

PRODUCT ID	PRODUCT NAME	COLOR
ACC-PEN-CAP-W	<a href="#">Avigilon Ava Pendant Mounting Cap</a>	White
ACC-PEN-CAP-B	<a href="#">Avigilon Ava Pendant Mounting Cap</a>	Black
ACC-MNT-ARM-W	<a href="#">Avigilon Ava Wall Mount Arm</a>	White
ACC-MNT-ARM-B	<a href="#">Avigilon Ava Wall Mount Arm</a>	Black
ACC-PEN-HEA	<a href="#">Avigilon Ava Pendant Head</a>	White
ACC-PEN-PIP	<a href="#">Avigilon Ava Pendant Pipe 40cm</a>	White
ACC-POL-BRA-W	<a href="#">Avigilon Ava Pole Bracket</a>	White
ACC-POL-BRA-B	<a href="#">Avigilon Ava Pole Bracket</a>	Black
ACC-CRN-BRA-W	<a href="#">Avigilon Ava Corner Bracket</a>	White
ACC-CRN-BRA-B	<a href="#">Avigilon Ava Corner Bracket</a>	Black
ACC-CON-A34-W	<a href="#">Avigilon Ava Conduit Adapter 3/4"</a>	White
ACC-CON-A34-B	<a href="#">Avigilon Ava Conduit Adapter 3/4"</a>	Black
SVCS-CAM-W5YR	5-year total warranty	-

To learn more, visit:  
[www.avigilon.com](http://www.avigilon.com)



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A. [motorolasolutions.com](http://motorolasolutions.com)

© 2023, Avigilon Corporation. All rights reserved. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. 09-2023 [DS02]