

<b>PART NUMBER</b>	<b>ID07-2111-0001</b>
<b>DESCRIPTION</b>	<b>G-VX 3D MOUSE</b>

<b>SHELF LIFE</b>	<b>PROJECT #</b>	<b>CN</b>	<b>REV</b>	<b>APPROVAL</b>	<b>DATE</b>
<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO MONTHS	<b>PMP1099</b>	<b>CN35658</b>	<b>A</b>	<b>MK</b>	<b>03/24/2015</b>

**MOISTURE SENSITIVE**  
Ref. J-STD-020D.1 pg 6

YES  NO

Moisture Sensitivity Level (1-6)

**SHELF LIFE DISPOSITION**

TEST  
 SCRAP  
 REPACKAGE  
 If Test or Repackage, please attach Procedure.

**SPECIAL HANDLING**

YES  NO  
 If Yes, please attach handling instructions.

**QANTEL COMMENT:**

**SOURCES**

	SOURCE	PART NUMBER	UL FILE NUMBER	CERTIFICATION CONTROLLED	
1:	3DCONNEXION	3DX-700040		<input type="checkbox"/> UL	<input type="checkbox"/> KCC
2:				<input type="checkbox"/> ATEX	<input type="checkbox"/> EMC
				<input type="checkbox"/> CCC	<input type="checkbox"/> IECEX
3:				<input type="checkbox"/> R-HOLD	<input type="checkbox"/> B-HOLD

**APPROVALS, RoHS / REACH DOCUMENTATION:** **Stored inside Windchill. Review Windchill CN for detailed information**

PART NUMBER	ID07-2111-0001
DESCRIPTION	G-VX 3D MOUSE



### Technical Specification

- Full sized, soft coated hand rest
- 3Dconnexion® six degrees-of-freedom (6DoF) sensor
- QuickViews Keys
- Rotation Toggle Key
- Intelligent Function Keys
- On-Screen Display
- Keyboard Modifiers (Ctrl, Alt, Shift, Esc)
- Virtual NumPad
- 15 Programmable keys in total
- Dimensions (LxWxH): 204 x 142mm x 58mm / 8" x 5.6" x 2.3"
- Weight: 665g / 1.47lb
- 3-year Warranty

### Package Contents

- SpaceMouse® Pro
- CD ROM: Drivers, Demos and Tools

### Supported Operating Systems

- Microsoft Windows, OS X, Linux
- For more information visit [www.3dconnexion.com/operatingsystems](http://www.3dconnexion.com/operatingsystems)

### Certifications and Registration

- CE, FCC (Class B), BSMI, KCC, WEEE, WHQL
- For more information visit [www.3dconnexion.com/compliance](http://www.3dconnexion.com/compliance)

## Superior 3D Navigation

Like all 3Dconnexion 3D mice, SpaceMouse Pro features the patented **3Dconnexion 6-Degrees-of-Freedom (6DoF)** sensor that enables you to easily navigate digital models or camera positions in 3D space.

Simply push, pull, twist or tilt the 3Dconnexion controller cap to pan, zoom and rotate your model or camera precisely and intuitively.

## QuickView Keys

SpaceMouse Pro's QuickView Keys provide fingertip access to 12 views, making it easier to detect errors, explore alternatives and present your work more effectively for review.

The rotation toggle key disables the rotation axes, providing simultaneous pan-and-zoom navigation in work modes such as sketching.

## Advanced Ergonomic Design


The full size, soft-coated hand rest ensures maximum comfort by positioning the hand perfectly for the 3Dconnexion controller cap.

Every one of SpaceMouse Pro's 15 tactile, fully programmable buttons are conveniently positioned, allowing you to access frequently used commands and work more efficiently.

## Keyboard Modifiers

SpaceMouse Pro Keyboard Modifiers provide easy access to Control, Shift, Alt, Esc functions, saving you time by reducing the need to move your hand to the keyboard.

PART NUMBER	ID07-2111-0001
DESCRIPTION	G-VX 3D MOUSE



<b>PART NUMBER</b>	<b>ID07-2111-0001</b>
<b>DESCRIPTION</b>	<b>G-VX 3D MOUSE</b>



Declaration of Conformity  
According to ISO/IEC Guide 22 and EN 45014

**Manufacturer:** 3Dconnexion GmbH  
Clarita-Bernhard-Strasse 18  
81249 München  
Germany

**Declares, that SpaceMouse™ Pro (3D Motion Controller or 3D-Input Device or 3DMouse)**

**Conform to the following specifications:**


Safety EN 60950-1:2006/A11:2009/A1:2010/A12:2011  
EMC EN 55022:2006+A1:2007 and EN 55024:1998+A1:2001+A2:2003

**Supplementary information:**

The products herewith comply with the requirements of the Low Voltage Directive (LVD) 2006/95/EC of 12 December 2006 and the EMC Directive 2004/108/EC of 15 December 2004 and carry the CE-marking accordingly.

**Authorized Representative:**

3Dconnexion GmbH, Clarita-Bernhard-Str. 18, 81249 München  
(FAX: +49-89-89 745 42 - 50)



Xiaobing Lin  
Software Testing Engineer

München, June 29.2012